

1-0529

2020-0693-61

1 February 1961

REASONABLE FOR : Deputy Director of Central Intelligence
THROUGH : Deputy Director (Plans) 151 ROMB
SUBJECT : STATUS OF FAA CERTIFICATION ON C-130H AIRCRAFT

1. Following up your question raised by the comparative study done by Development Projects Division on the C-130B and the C-130E as to the possibility of the latter aircraft being certificated for use by AFM, I have checked with [redacted]

25X1A

25X1A

who reports the following:

a. There was considerable impetus to obtain a type certificate on the C-130E aircraft. Within recent months the following cost and time figures were provided the Pentagon as a result of which the drive to obtain a type certificate dropped off:

Cost of design modifications and flight test program -- \$4,000,000.

Time to complete certification on one aircraft -- 15 months (additional aircraft could not be made available to the testing phase because of USAF delivery priorities).

25X1A

b. [REDACTED] said the same figures would apply on the C-130B, and that a type certificate, if obtained, would probably result in commercial orders for this aircraft from airlines such as resort airlines and PAA, who were interested in obtaining the C-130B until the certification program was dropped.

RECEIVED MC
NOV 20 1968
1968-36169
SEARCHED INDEXED SERIALIZED FILED
36169

DPD 0623-61
Page 2

25X1A

2. I assume [REDACTED] is aware of the fact that there is at present no plan to proceed with certification of the C-130E for MATS.

JAMES A. CUNNINGHAM, JR.
Acting Chief, DPD-DD/P

Distribution:

Orig & 1 - Addressee

1 - SA

1 - DD/P

1 - ASST CH/DPD

1 - AC/DPD

1 - C/DPD/DB


1 - DPD/DB

1 - DPD/CONT

1 - DPD/MAT

1 - DPD/RI

DPD-DD/P: JACunningham, Jr./mg

TRANSMITTAL SLIP		DATE
TO: DPD-DB		
ROOM NO.	BUILDING	
REMARKS: 25X1A [REDACTED]		
Mr. Cunningham's memo with General Cabell's note and General Montgomery's memo attached. Please return when you have finished.		
Molly 		
FROM:		
ROOM NO.	BUILDING	EXTENSION

FORM NO. 241
1 FEB 55REPLACES FORM 36-8
WHICH MAY BE USED.

(47)